

DATASHEET

XS4 ECO.Lock

The Salto XS4 Eco Lock is a smart electronic locker lock designed to offer all the advantages of smart access to individual lockers and cabinets combined with rapid, effortless installation. Its integrated features, designed to deliver unparalleled flexibility, reliability, and ease of use, provide enhanced security and keyless access.

Engineered using cutting-edge, sustainable technology and fully integrated with Salto's smart access ecosystem, users can open and close lockers securely simply by holding an authorised smart key over the lock button. The solution can be configured for both traditional access credentials and modern mobile access, depending on your needs.

























TECHNICAL DATA:

Outside reader measurements :	22,2 ø x 29 mm	
Inside cover measures:	109 x 109 x 33 mm	
Weight:	0,4 kg	
Door thickness:	10 mm up to 28 mm	
Deadbolt projection:	17,7 mm	
Material:	Plastic PC	
Power source:	3 AA batteries (LR6 1,5V)	
Number of openings ¹ :	Up to 125 000 operations	
Maximum events on lock audit:	1861 (Salto Space)	
Environmental conditions:	Temperature: -25 °C / +55 °C Humidity: 0 to 95% without condensation	
IP class:	IP55 ²	
Certifications:	CE, FCC, IC, UKCA, ACMA, NOM, IFT, IMDA, KCC, SRRC, DIN 4547- 2, Class C Compliant	

¹Maximum numbers depending on the used credential

LOCKER MODES:

Fixed locker assignemnt:	A specific one or several user ID carrier operates a specific locker lock.
Free locker assignment ¹ :	A specific one or several user ID carrier subsequently used to unlock a locker takes control.


¹Compatible with RFID and NFC. Not available for smartphone using BLE.

CREDENTIAL TECHNOLOGIES:

JustIN Mobile Credentials1:	•
NXP MIFARE*2:	•

¹Bluetooth Digital Key and Near Field Communication (NFC) capability.

TECHNICAL DRAWING:



SALTO PLATFORMS: SVN data-on-card JustIN Mobile BLUEnet Wireless 4 4 6 Apple Wallet - -

FINISH:

Anthracite

²Locker has to be installed correctly, and the cabinet is locked. The back of the XS4 ECO.Lock does not have increased IP protection

² MIFARE® DESFire® EV1/EV2/ EV3, MIFARE® Plus, MIFARE® Ultralight C, MIFARE® Classic.

¹Salto Space. On-premise access control platform

²Coming soon Salto Homelok. Cloud-based access control platform

³ Coming soon Salto KS. Cloud-based access control platform

⁴RFnet Wireless versions are not compatible




Salto Systems.

Get in touch with our team.

Give us a brief summary of your needs, your next project and we'll get back to you.

Spain, UK, France, Germany, Switzerland, The Netherlands, Belgium, Poland, Slovakia, Slovenia, Czech Republic, Denmark, Norway, Sweden, Finland, Italy, Portugal, US (NYC - Atlanta - LV), Canada, Mexico, Costa Rica, Colombia, Puerto Rico, Chile, UAE, India, South Africa, Singapore, China, Hong Kong, Korea, Vietnam, Australia, New Zealand.



TECHNICAL SPECIFICATIONS DATASHEET-SALTO-XS4-ECO-LOCK-LM100-ENG-07-25

_

Copyright © 2025 Salto Systems

Salto Systems reserves the right to modify technical specifications, designs and performance without notice.